



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO. FILING DATE		FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/775,036	02/01/2001	Bashar Jano	CS10717	8330	
75	90 03/01/2006	EXAMINER			
Randall S. Vaa	is (MCS)	PATEL, ASHOKKUMAR B			
Motorola, Inc.	, ,		·		
Personal Comm	unications Sector	ART UNIT	PAPER NUMBER		
600 North US H	lighway 45	2154			
Libertyville, IL 60048			DATE MAILED: 03/01/2006		

Please find below and/or attached an Office communication concerning this application or proceeding.

			Application	ı No.	Applicant(s)				
Office Action Summary		09/775,036	i	JANO ET AL.					
		Examiner		Art Unit					
		Ashok B. Pa	atel	2154					
The MAILII Period for Reply	NG DATE of this commun	nication appe	ears on the	cover sheet with the c	orrespondence ad	idress			
WHICHEVER IS I - Extensions of time may after SIX (6) MONTHS - If NO period for reply is - Failure to reply within to Any reply received by	STATUTORY PERIOD F LONGER, FROM THE N by be available under the provisions of from the mailing date of this comm is specified above, the maximum so the set or extended period for reply the Office later than three months justment. See 37 CFR 1.704(b).	MAILING DA s of 37 CFR 1.13 munication. tatutory period wi y will, by statute,	TE OF THI 6(a). In no even ill apply and will cause the applic	S COMMUNICATION t, however, may a reply be time expire SIX (6) MONTHS from ation to become ABANDONE	N. nely filed the mailing date of this c D (35 U.S.C. § 133).				
Status									
1) Responsive	to communication(s) file	ed on <i>11/28</i>	2/2006						
· <u>·</u>	Responsive to communication(s) filed on <u>11/28/2006</u> . This action is FINAL . 2b) This action is non-final.								
′=	· · · · · · · · · · · · · · · · · · ·								
•	closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.								
Disposition of Claim	us								
4)⊠ Claim(s) 1-:	4)⊠ Claim(s) <u>1-34</u> is/are pending in the application.								
	4a) Of the above claim(s) is/are withdrawn from consideration.								
<u> </u>	Claim(s) is/are allowed.								
· <u> </u>	☐ Claim(s) is/are allowed. ☐ Claim(s) <u>1-34</u> is/are rejected.								
· · · · -	is/are objected to.								
	are subject to restri	ction and/or	election re	guirement.					
Application Papers				•					
_			_						
9) The specification is objected to by the Examiner. 10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.									
, ,	Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).								
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.									
ine oath or	deciaration is objected t	o by the Exa	ammer. Not	e the attached Office	Action of form P	10-152.			
Priority under 35 U.S	S.C. § 119								
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 									
	on's Patent Drawing Review (I			1) Interview Summary Paper No(s)/Mail Da	ate	0.450)			
 Information Disclosu Paper No(s)/Mail Date 	re Statement(s) (PTO-1449 or te		5) Notice of Informal P 6) Other:	atent Application (PT)	J-152)				

DETAILED ACTION

1. Claims 1-34 are subject to examination.

Continued Examination Under 37 CFR 1.114

2. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 11/28/2005 has been entered.

Response to Arguments

3. Applicant's arguments filed 11/28/2005 have been fully considered but they are not persuasive for the following reasons:

Applicant's argument: Claims 1, 7, 19 and 25

"There is no disclosure regarding a location token being transmitted between the client device and another device in Sheynblat as respectively defined in the respective claims. Accordingly, Sheynblat can not anticipate the claimed invention and render it unpatentable."

Examiner's response:

Sheynblat teaches in Abstract," The client provides information about its location and/or a location of interest to a Web server. The <u>Web server</u>, based on the information, <u>provides</u> via the Internet information relating to <u>the client's location</u> or location of interest to the client."

Further, Sheynblat teaches in col. 8, line 45-62," An application server may send a request, for the position of a particular GPS receiver in one of the cells, to a GPS location server which then initiates a conversation with a particular mobile GPS receiver through the mobile switching center in order to determine or refine the position of the

Page 3

embodiment of the invention, an application server may initiate a conversation with a

GPS receiver and report that position back to the particular application. In another

particular mobile GPS unit through an MSC and provide the pseudoranges to the

location server for position determination or refinement. In yet another embodiment, a

position determination for a GPS receiver may be initiated by a user of a mobile GPS

receiver; for example, the user of the mobile GPS receiver may press 911 on the cell

phone to indicate an emergency situation at the location of the mobile GPS receiver and

this may initiate a location determination or refinement process in a manner described

herein."

Thus, Sheynblat teaches "a location token being transmitted between the client device and another device."

Applicant's argument: Claim 2

"There is no description of either a token or populating a token as it is communicated as defined in the claim."

Examiner's response:

Please refer to the response above for claims 1, 7, 19 and 25, as well as Abstract of Sheynblat teaches" The client provides information about its location and/or a location

of interest to a Web server. The Web server, based on the information, provides via the

Page 4

Internet information relating to the client's location or location of interest to the client."

Thus Sheynblat teaches "a token and populating a token as it is communicated

as defined in the claim.

Applicant's argument: Claim 3

"There are not signatures placed into a location token as claimed."

Examiner's response:

Sheynblat teaches in col. 22, line 22-24, "Each transmitter may be assigned a

unique PN code so as to permit identification by a remote receiver."

Thus the receiver is receiving "identification" (signature) into the location token.

Applicant's argument: Claim 4

"Claim 4 defines a device that sends a request for information and wherein

location information is inserted into a token by intermediaries as the token is

communicated through the network. Sheynblat is devoid of such structure."

Examiner's response:

Sheynblat teaches in col. 8, line 37-62," Each GPS location server will receive

pseudoranges from a mobile GPS receiver and satellite ephemeris data from the GPS

reference network and calculate a position for the mobile GPS receiver and then this

position will be transmitted through the PSTN to one (or both) of the Application Servers

where the position is presented (e.g. displayed on a map) to a user at the Application

Server."

Application/Control Number: 09/775,036

Art Unit: 2154

Thus, Sheynblat clearly teaches "wherein location information is inserted into a token by one or more intermediaries as the token is communicated through the network."

Applicant's argument: Claim 5

"The location server obtains reference information from the GPS network but this

Page 5

data is not related added to a token as defined."

Examiner's response:

Sheynblat teaches in col. 8, line 37-62, Note: First Intermediary: GPS location

server; Second Intermediary: GPS Reference Network which has GPS reference

stations, col. 8, line 15-18." ach GPS location server is typically coupled to a wide area

network of GPS reference stations which provide differential GPS corrections and

satellite ephemeris and typically other data to the GPS location servers. This wide area

network of GPS reference stations, shown as GPS reference network 111, is typically

coupled to each GPS location server through a data network. The data network which

supplies data from the network of GPS reference stations may be part of the

communication network 112 or communication network 115 or may be a separate data

network having connections 109A and 110A as shown in FIG. 2B."

Applicant's argument: Claim 7

"There is no description of a location token being sent through the network to the

device in response to a request for information from a device as defined in claim 7."

Examiner's response:

Please refer to the response for claims 1, 7, 19 and 25 above.

Application/Control Number: 09/775,036 Page 6

Art Unit: 2154

Claim Rejections - 35 USC § 102

4. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

5. Claims 1-34 are rejected under 35 U.S.C. 102(e) as being anticipated by Sheynblat et al. (hereinafter Sheynblat)(US 6, 677, 894 B2).

Referring to claim 1,

Sheynblat teaches a communication network, comprising:

a client device (col. 7, line 17-24) generating and transmitting a request for information (Fig. 2B, element 102b, col. 8, line 56-62), and

a server device (Fig. 2B, element 114 or 116) generating and transmitting for the client device (Fig. 2B, element 102b) a response to the request, wherein a location token requesting location Information corresponding to the client device is transmitted between the client device and server device. (col. 8, line 56-62).

Referring to claim 2,

Sheynblat teaches the communication network of claim 1, wherein the location information is populated within the location token it is communicated through network. (col. 8, line 15-18).

Referring to claim 3,

Application/Control Number: 09/775,036 Page 7

Art Unit: 2154

Sheynblat teaches the communication network of claim 2, wherein the location token Includes signature codes corresponding to location Information inserted within the location token. (col. 22, line 15-31).

Referring to claim 4,

Sheynblat teaches the communication network of claim 1, wherein the location information is incrementally inserted by one or more plurality of intermediaries. (col. 8, line 37-62)

Referring to claims 5 and 6,

Sheynblat teaches the communication network of claim 41, the intermediaries including a first intermediary and a second Intermediary, wherein a plurality of intermediaries other than the first and the second intermediary are between the first and the second intermediary, and wherein the location information is inserted as the token is communicated through the network in both directions between the first intermediary and the second intermediary by one or more of the plurality of intermediaries, and the communication network of claim 1, further comprising a location command requesting the location information, the location command positioned within the location taken, wherein the location Information is inserted within the location token by one or more intermediaries in response to the location command. (col. 8, line 37-62, Note: First Intermediary: GPS location server; Second Intermediary: GPS Reference Network which has GPS reference stations, col. 8, line 15-18)

Referring to claim 7,

Sheynblat teaches a communication network, comprising:

a client device (col. 7, line 17-24) generating and transmitting a request for Information (Fig. 2B, element 102b, col. 8, line 56-62); and

an other device (Fig. 2B, element 114 or 116) generating a first response to the request, the first response including a first location token requesting location Information corresponding to the other device (col. 8, line 37-62); and

an intermediary between the client device and the other device, wherein the first response is transmitted between the client device and the other device through the intermediary (col. 8, line 37-62);

Referring to claim 8,

Sheynblat teaches the communication network of claim 7, wherein the first location token includes a first location command requesting Insertion of location Information within the location token by at least one of the client device and the intermediary. (col. 8, line 37-62);

Referring to claim 9,

Sheynblat teaches the communication network of claim 8, wherein the client device generates a second location token including location Information available to the client device in response to the first location command, the second location token including a second location command requesting insertion of location information within the second location token, and wherein the intermediary inserts location information available to the intermediary in response to the second location command, and the other device generates and transmits a second response to client device through the intermediary,

the second response including the location information inserted within the second location token by the first and the intermediary. (col. 16, line 6-61, Figs. 8 and 2B).

Referring to claim 10,

Sheynblat teaches the communication ni3hvork of claim 9, wherein the second location token is an update of the first location token. (Fig. 8).

Referring to claim 11,

Sheynblat teaches the communication network of claim 9, wherein the first and the second location token include signature codes corresponding to the intermediary inserting location information. (col. 22, line 15-31).

Referring to claims 12 and 13,

Sheynblat teaches the communication network of claim 9, wherein the other device inserts location Information available to the other device within the second response, and communication network of claim 9, wherein the other device inserts location Information available to the other device within the first response. (col. 16, line 6-61, Fig. 8, col. 8, line 45-62).

Referring to claim 14, 15, 16, 17 and 18,

Sheynblat teaches the communication network of claim 8, wherein, in response to the first location command, the intermediary inserts location Information available to the intermediary within the first location token and the client device generates a second location token, including the location information inserted by the intermediary and location information available to the client device, and wherein the other device a generates and transmits a second response to the client device through the

Application/Control Number: 09/775,036 Page 10

Art Unit: 2154

intermediary, the second response including the location information Inserted within the updated location token, and the communication network of claim 14, wherein the first and the second location token include signature codes corresponding to the intermediary inserting location information, and the communication network of claim 14, wherein the other device Inserts location information available to the other device within the second response, and communication network of claim 14, wherein the other device Inserts location information available too the other device within the first response, and communication network of claim 14, wherein the second location token is an update of the first location token. (col. 16, line 6-61, Fig. 8, col. 8, line 45-62).

Referring to claim 19,

Sheynblat teaches a communication network, comprising;

a client device (col. 7, line 17-24) generating and transmitting a request for information, the request including a first location token requesting location information corresponding to the client device (Fig. 2B, element 102b, col. 8, line 56-62);

a other device (Fig. 2B, element 114 or 116) generating a response to the request, the response including a second location token (col. 8, line 37-62);; and a intermediary (Fig. 8, location server, element 307), between the client device and the other device, transmitting the request and the response between the first and the other device, wherein the client device includes location Information available to the client device within the first location token, and the other device includes location Information

previously Inserted within the first location token In the second location token. (col. 16, line 6-61, Fig. 8, Fig. 2B, col. 8, line 45-62).

Referring to claim 20,

Sheynblat teaches the communication network of claim 19, wherein the second location token is an update of the first location token. (Fig. 8).

Referring to claim 21,

Sheynblat teaches the communication network of claim 19, wherein the intermediary Inserts location information within second location token as the response is transmitted from the other device to the client device. (Fig. 8, Fig. 2B, col. 8, line 37-62).

Referring to claim 22,

Sheynblat teaches the communication network of claim 19, wherein the other device Inserts location information available to the other device within the second location token. (col. 8, line 37-62).

Referring to claim 23,

Sheynblat teaches the communication network of claim 19, wherein the intermediary inserts location information within the first location token responsive to the request being transmitted from the client device to the other device. (col. 8, line 37-62).

Referring to claim 24,

Sheynblat teaches the communication network of claim 19, wherein the first and the second location token include signature codes corresponding to the intermediary inserting location information. (col. 22, line 15-31).

Referring to claim 25,

Sheynblat teaches a method for transferring and collecting location Information in a communication network, comprising the steps of:

generating a request for Information at a client device (col. 7, line 17-24); transmitting the request to other device through a intermediary(Fig. 2B, element 102b, col. 8, line 56-62);

generating a response to the request for Information(Fig. 2B, element (col. 8, line 37-62); and

transmitting a first location token between the client device, the other device and intermediary requesting Insertion of location information corresponding to the client device. (col. 8, line 37-62)

Referring to claim 26,

Sheynblat teaches the method of claim 25, further comprising the step of inserting signature codes identifying the intermediary inserting the location information. (col. 22, line 15-31).

Referring to claims 27 and 28,

Sheynblat teaches the method of claim 25, wherein the first location token is transmitted within the response and includes a location command requesting insertion of the location information by the client device, the method further comprising the steps of:

transmitting the response to the client device through the intermediary;

generating a second location token in response to the location command, the second location token including location information available to the client device and a

Application/Control Number: 09/775,036

Art Unit: 2154

second location command requesting insertion of location information within updated location token;

transmitting the second location taken from the client device to a intermediary;

inserting location Information available to the intermediary within the second location token and transmitting the second location token from the intermediary to the other device; and

generating an updated response to the request for information using the location information Inserted by the client device and the intermediary and transmitting the updated response to the client device through the intermediary, and wherein the second location token is an update of the first location token. (col. 16, line 6-61, Fig. 8, Fig. 2B, col. 8, line 45-62).

Referring to claims 29 and 30,

Sheynblat teaches the method of claim 25, wherein the first location token is transmitted within the response and includes a location command requesting insertion of the location information by the client device and the intermediary, the method further comprising the steps of:

transmitting the response to the intermediary;

inserting location information available to the intermediary within the first location token and transmitting the response from the intermediary to the client device;

generating an updated request including a second location token including location information Inserted by the intermediary along with location information

available to the client device:

transmitting the updated request from the client device to the other device through the intermediary and

generating an updated response to the request for Information using the location information Inserted by the client device and the intermediary within the second location token and transmitting the updated response to the client device through the intermediary, and wherein the second location token Is an update of the first location token. (col. 16, line 6-61, Fig. 8, Fig. 2B, col. 8, line 45-62).

Referring to claims 31 and 32,

Sheynblat teaches the method of claim 25, wherein the first location token is transmitted within the request, along with location information available to the client device, the method further comprising the steps of:

generating a second location token to be included in the response. the second location token Including location information Inserted by the client device and location information available to the other device, along with a location command requesting the intermediary to insert location Information within the second location token;

transmitting the response to the intermediary; and

inserting location information available to the intermediary within the second location token and transmitting the response from the intermediary to the client device, and wherein the second location token is an update of the first location token. (col. 16, line 6-61, Fig. 8, Fig. 2B, col. 8, line 45-62).

Referring to claims 33 and 34,

Sheynblat teaches the method of claim 25, wherein the first location token is transmitted within the request and includes a location command requesting insertion of the location Information by the other device and the intermediary, along with location information available to the client device, the method further comprising the steps of:

transmitting the request to the intermediary,

inserting location information available to the intermediary within the first location token and transmitting the request from the intermediary to the client device;

generating a second location token to be included in the response. the second location token including location information inserted by the client device and the other intermediary and location information available to the other device; and transmitting the response to the client device through the intermediary., and , wherein the second location token is an update of the first location token. (col. 16, line 6-61, Fig. 8, Fig. 2B, col. 8, line 45-62).

Conclusion

Examiner's note: Examiner has cited particular columns and line numbers in the references as applied to the claims above for the convenience of the applicant. Although the specified citations are representative of the teachings of the art and are applied to the specific limitations within the individual claim, other passages and figures may apply as well. It is respectfully requested from the applicant in preparing responses, to fully consider the references in entirety as potentially teaching all or part of the

claimed invention, as well as the context of the passage as taught by the prior art or disclosed by the Examiner.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ashok B. Patel whose telephone number is (571) 272-3972. The examiner can normally be reached on 8:00am-5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, John A. Follansbee can be reached on (571) 272-3964. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Abp

JOHN FOLLANSBEE

STEEHNOLOGY CENTER 2100